

Figure 1

FIG. 1

200




Figure 2



Autumn
Engineer's Computation Pad

301

64	32	16	8	4	2	1	.75	.50	.25	.1
0	1	2	3	4	5	6	7	8	9	10

DISTANCE
IN MM
LINES PER
MM

FIGURE 3A






FIGURE 3B



SOLID COLOR TEXTURE

500

501	10	9	8	7	6	5	4	3	2	1	DISTANCE IN MM'S
502	1	2	3	4	5	6	7	8	9	10	INTENSITY OF COLORED TEXTURE

FIGURE 5A

INTENSITY OF COLOR




FIGURE 5B

FORM NO. 5505

No. 5505
Engineer's Computation Pad




FIGURE
6A




FIGURE
6B




FIGURE
6C

TOP-500-5505-2260

No. 5505
Engineer's Computation Pad




FIGURE 7A




FIGURE 7B




FIGURE 7C




FIGURE 7D




FIGURE 7E




FIGURE 7F

09727985-024204

No. 15425
Engineer's Computation Pad





FIGURE
8A




FIGURE
8B




FIGURE
8C

007299-0130-9862260

REV. 10/05
Engineer's Computation Pad




FIGURE
9A




FIGURE
9B




FIGURE
9C

FIG. 10A

No. 5505
Engineer's Computation Pad

FIGURE
10 A




FIGURE
10 B





FIGURE
10 C



0072986-024204

